



### FEATURES:

- Exceptional effective non-toxic fire extinguishing agent
- Uniquely easy to install and maintain
- Reviewed by EPA for SNAP listing
- Ecologically safe and environmentally friendly (O.D.P.=0, G.W.P.=0)
- Very cost efficient


### Description

DSPA aerosol generators can be used as a part of a highly effective fixed extinguishing system. A DSPA generator is non-pressurized and is installed inside a room or compartment that requires protection. After activation, an aerosol cloud is generated, which expands volumetrically, flooding the space and extinguishing the fire. The DSPA generators are mainly designed to use in normally unoccupied and unoccupied areas and are effective on class A, B, C fires.

### Application

The DSPA generators 2-4/1 Built-in and 2-4/2 Built-up are recommended for the protection of semi large compartments such storage rooms, archives, technical rooms and server rooms.

### Specifications

| Model  | 2-4/1 Built-in   | 2-4/2 Built-up |
|--|--|----------------|
| Part Number  | DSPA-ART00001  | DSPA-ART00002  |
| Dimensions   | 172x179 mm   |                |
| Total weight   | 4600 g   |                |
| Compound weight  | 1600 g   |                |
| Volume coverage  | 12-37 m <sup>3</sup>   |                |
| Discharge time   | 43 sec   |                |
| Activation, current  | Screw-in starter, 1.3A   |                |
| Operation conditions   | -40°C to 54°C/ Up to 95% RH at 54°C  |                |
| Colour   | Standard RAL 3000, other colours upon request  |                |
| Min. distance for persons(75°C) from discharge outlet                  |  |                |
| Min. distance for combustible material(200°C) from discharge outlet    |  |                |
| Min. distance for construction structures(400°C) from discharge outlet |  |                |



Datasheet: DSPA GENERATOR  
 Serie: 2-4/1 Built-in, 2-4/2 Built-up  
 Version: 1.2  
 Date: 15-10-2012